

ಶ್ರೀ ಆರ್. ಚನ್ನಿಗರಾಮಯ್ಯ.—ಯಾವ ಪಾರ್ಲಿಮೆಂಟರಿ ಡೆಲೆಗೇಷನ್ ಅನುಸರಿಸಲಾಗುತ್ತದೆ ?

ಶ್ರೀ ಯು. ಎಂ. ಮಾದಪ್ಪ.—ಪ್ರೆಸಿಡೆಂಟ್ ವಿಷಯ ದಲ್ಲ ಇನ್ನೂ ನ್ಯಾಯ ಇತ್ಯರ್ಥವಾಗದೆ ಇರುವಾಗ ಚರ್ಚೆಗೆ ಅವಕಾಶ ಕೊಡುವುದು ಕಾನೂನು ಬದ್ಧವಾಗಿ ಸರಿಯಲ್ಲ ಎಲ್ಲವೇ ?

ಶ್ರೀ ಆರ್. ಚನ್ನಿಗರಾಮಯ್ಯ.—ಈಗ ಮಾಡಿರುವ ಚರ್ಚೆಯಿಂದ ಅಪಾಯವೇನೂ ಇಲ್ಲ.

ಶ್ರೀ ಯು. ಎಂ. ಮಾದಪ್ಪ.—ಮುಂದುವರಿಸಿದರೆ ?

ಶ್ರೀ ಆರ್. ಚನ್ನಿಗರಾಮಯ್ಯ.—ಮುಂದುವರಿಸಿದರೂ ಅಪಾಯವಿಲ್ಲ.

Visit of Parliamentary Delegation on Co-operation to Coorg.

Q.—49. Sri P. M. NANAMAIAH (Ponnampet Nad).—

Will the Government be pleased to state :—

(a) whether it is a fact that a Parliamentary Delegation on Co-operation visited Coorg ;

(b) if so, when did they visit ;

(c) the number of days they stayed in Coorg ;

(d) the object of their visit ;

(e) the number of co-operative institutions that were visited by them ;

(f) the institutions that were visited by them (the names of the institutions may kindly be furnished) ;

(g) whether they met any of the non-official co-operators in Coorg ;

(h) if so, whom they have met (the names of the non-official co-operators that they have met may be furnished) ?

A.—Sri A. BHEEMAPPA NAIK (Minister for Co-operation).—

(a) Yes.

(b) On 26th November 1956.

(c) Stayed one night.

(d) To study the Co-operative Movement and to have a first-hand knowledge about the working of co-operative societies in Mysore State.

(e) Five.

(f) (1) Kushalnagar Co-operative Rural Bank,

(2) Cardamom Marketing Society, Bhagamandala,

(3) Honey Producers' Society, Ltd., Bhagamandala,

(4) Marketing Society, Mercara, and

(5) Coorg State Co-operative Bank, Mercara.

(g) Yes.

(h) They met the non-official co-operators of the Rural Societies they visited. Information regarding the names of the non-official co-operators whom the delegation met in Coorg is not readily available.

Sri P. M. NANAMAIAH.—I have no supplementaries.

Budget Grants and Expenditure under Civil Engineering, Electrical Division in Shimoga District.

Q.—27. Sri MALLIKARJUNAPPA GOWDA (Sorab-Shikaripur).—

Will the Government be pleased to state :—

(a) the places in Shimoga District where Civil Engineering Divisions under the control of the Electrical Department are located from the years 1953-54 to 1955-56 ;

(b) the amount provided in the budget under different heads for each of the divisions during the said years ;

(c) the expenditure incurred towards works such as buildings, etc., in different years ;

(d) the amount spent towards salary, travelling allowance, etc., of the establishment in connection with the above works in different years ;

(e) the percentage difference in the rates between the works undertaken by the Public Works Department and the works undertaken by this department ?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works).—

(a) At Jog.

(b) Rs. 6.96 lakhs for all the years commencing from 1953-54 to 1955-56.

(c) On Works.—	Rs.
1953-54	4,33,283
1954-55	4,62,477
1955-56	4,99,304

On Surveys.—	
1953-54	99,773
1954-55	42,490
1955-56	41,922

(d) 1953-54	...	1,02,961
1954-55	...	1,21,691
1955-56	...	1,05,537

(e) Both the Departments follow the same schedule of rates for the Civil Engineering works as applicable to each area.

ಶ್ರೀ ಮಲ್ಲಿಕಾರ್ಜುನಪ್ಪಗೌಡ.—ಎಲೆಕ್ಟ್ರಿಕಲ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರು ಮಾದತಕ್ಕ ಕೆಲಸಕ್ಕೂ, ಪಬ್ಲಿಕ್ ವರ್ಕ್ಸ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರು ಮಾದತಕ್ಕ ಕೆಲಸಕ್ಕೂ ದರಗಳಲ್ಲಿರುವ ವ್ಯತ್ಯಾಸವೇನು, ಸ್ವಾಮಿ?

ಅಧ್ಯಕ್ಷರು.—ವ್ಯತ್ಯಾಸ ಇಲ್ಲ ಎಂದು ಹೇಳಿದೆ.

ಶ್ರೀ ಮಲ್ಲಿಕಾರ್ಜುನಪ್ಪಗೌಡ.—ಇದರಲ್ಲಿ ಸ್ಪಷ್ಟವಾಗಿ ಇಷ್ಟು ಪರ್ಟೆಂಟೇಜ್ ವ್ಯತ್ಯಾಸ ಇದೆ ಅಥವಾ ಇಲ್ಲ ಎನ್ನುವುದನ್ನು ಕೊಟ್ಟಿಲ್ಲ.

*ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ದರದಲ್ಲಿ ಒಂದೊಂದು ಕೆಲಸಕ್ಕೂ ವ್ಯತ್ಯಾಸ ಇದೆ.

ಶ್ರೀ ಮಲ್ಲಿಕಾರ್ಜುನಪ್ಪಗೌಡ.—ಒಂದೇ ಗ್ರಾಮದಲ್ಲಿ ಎಲೆಕ್ಟ್ರಿಕ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರು ಕಟ್ಟಡಕ್ಕೂ, ಪಬ್ಲಿಕ್ ವರ್ಕ್ಸ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರು ಕಟ್ಟಡಕ್ಕೂ ದರದಲ್ಲಿ ವ್ಯತ್ಯಾಸವಿಲ್ಲವೇ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಇಂಥಾಂಥ ಗ್ರಾಮಗಳಲ್ಲಿ ಎಂಬುದನ್ನು ಹೇಳಿದರೆ ಆ ವ್ಯತ್ಯಾಸ ಎಷ್ಟು ಎಂಬುದನ್ನು ಹೇಳಬಹುದು. ಅವರು ತಮಗೆಯಾವುದು ಬೇಕೋ ಅದನ್ನು ಕೇಳಿದರೆ ಸಮಾಚಾರ ತರಿಸಿ ಕೊಡುತ್ತೇನೆ.

ಶ್ರೀ ಮಲ್ಲಿಕಾರ್ಜುನಪ್ಪಗೌಡ.—ಆನವಟ್ಟಿ ಗ್ರಾಮದಲ್ಲಿ ಎಲೆಕ್ಟ್ರಿಕ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರೂ ಕಟ್ಟಡ ಕಟ್ಟಿದ್ದಾರೆ, ಪಬ್ಲಿಕ್ ವರ್ಕ್ಸ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರೂ ಕಟ್ಟಡ ಕಟ್ಟಿದ್ದಾರೆ. ಅಲ್ಲಿ ವ್ಯತ್ಯಾಸ ಇದೆ ಅಲ್ಲವೇ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಆನವಟ್ಟಿ ಗ್ರಾಮದ ಸಮಾಚಾರ ಬೇಕಾದರೆ ತರಿಸಿ ಕೊಡುತ್ತೇನೆ.

ಶ್ರೀ ಮಲ್ಲಿಕಾರ್ಜುನಪ್ಪಗೌಡ.—ಈಗ ಒಂದೇ ಕೆಲಸಕ್ಕೆ ಪಬ್ಲಿಕ್ ವರ್ಕ್ಸ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರೂ ಇದ್ದು, ಎಲೆಕ್ಟ್ರಿಕ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರೂ ಹೋಗಿ ಕೆಲಸ ಮಾಡುವುದರಿಂದ ಸರ್ಕಾರದವರಿಗೆ ಲುಕ್ಕಾ ನಾಗುವುದಿಲ್ಲವೇ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಅದನ್ನು ವಿವರವಾಗಿ ಹೇಳಿದರೆ ಒಳ್ಳೆಯದು. ಪಬ್ಲಿಕ್ ವರ್ಕ್ಸ್ ಇಲಾಖೆಗೂ, ಎಲೆಕ್ಟ್ರಿಕಲ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿಗೂ ಆಡಿಟ್ ಸಿಸ್ಟಂನಲ್ಲಿ ವ್ಯತ್ಯಾಸ ಇದೆ. ಪಬ್ಲಿಕ್ ವರ್ಕ್ಸ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನಲ್ಲಿ ಪೋಸ್ಟ್ ಆಡಿಟ್ ಮಾಡುತ್ತಾರೆ. ಎಲೆಕ್ಟ್ರಿಕಲ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನಲ್ಲಿ ಪ್ರೀ ಆಡಿಟ್ ಮಾಡುತ್ತಾರೆ. ಎಲೆಕ್ಟ್ರಿಕಲ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನ ಕೆಲಸ ಮಾಡಬೇಕಾದರೆ ರೇಟ್ ಸ್ವಲ್ಪ ಜಾಸ್ತಿ ಮಾಡುತ್ತಾರೆ. ಅದು ಒಂದೊಂದು ಊರಿಗೆ ಒಂದೊಂದು ರೀತಿ ವ್ಯತ್ಯಾಸವಾಗುತ್ತದೆ. ಆದ್ದರಿಂದ ಎಲೆಕ್ಟ್ರಿಕಲ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನ ಕಾಂಟ್ರಾಕ್ಟ್ ಕೊಡುವಾಗ ಸಿವಿಲ್ ವರ್ಕ್‌ಗೆ ಸ್ವಲ್ಪ ಜಾಸ್ತಿ ದರ ಬಿಡುತ್ತದೆ ಅದನ್ನು ಸರ್ಕಾರದವರು ಒಪ್ಪಿಕೊಂಡಿದ್ದಾರೆ.

ಶ್ರೀ ಆರ್. ಮುನಿಸ್ವಾಮಯ್ಯ.—ಕಾಂಟ್ರಾಕ್ಟ್ ರೇಟಿಗೂ, ಫೆಡ್ಯೂಲ್ಡ್ ರೇಟಿಗೂ ವ್ಯತ್ಯಾಸ ಇರುತ್ತದೆಯೇ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಫೆಡ್ಯೂಲ್ಡ್ ರೇಟು ಒಂದು ಇರುತ್ತದೆ. ಟೆಂಡರ್ ಕರೆದಾಗ ಕಂಟ್ರಾಕ್ಟರುಗಳು ಎಷ್ಟು ಜನ ಬರುತ್ತಾರೆ, ಕೆಲಸ ಮಾಡುವುದಕ್ಕೆ ಸಿದ್ಧವಾಗಿದ್ದಾರೆಯೇ ಇಲ್ಲವೇ ಎನ್ನುವುದರ ಮೇರೆ ಅದು ಅವಲಂಬಿಸಿರುತ್ತದೆ.

Sri M. PALANIYAPPAN.—Is there any difference in the schedule of rates?

Sri H. K. VEERANNA GOWDH.—No difference.

ಡಾ|| ಆರ್. ನಾಗನಗೌಡ.—ಎಲೆಕ್ಟ್ರಿಕಲ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿಗೂ ಮತ್ತು ಪಬ್ಲಿಕ್ ವರ್ಕ್ಸ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿಗೂ ದರ ಹೆಚ್ಚುಕಡಮೆ ಎಂದರೆ ಎಲೆಕ್ಟ್ರಿಕಲ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರ ದರ ಹೆಚ್ಚಾಗುತ್ತದೆಯೇ ಕಡಮೆಯಾಗುತ್ತದೆಯೇ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ದರ ಒಂದೇ ಸಮನಾಗಿರುತ್ತದೆ. ಕಂಟ್ರಾಕ್ಟರುಗಳು ದರ ಕೋಟ್ ಮಾಡುವಾಗ ಹೆಚ್ಚು ದರ ಕೋಟ್ ಮಾಡುತ್ತಾರೆ. ಅದನ್ನು ಒಪ್ಪಿಕೊಂಡು ಕೆಲಸ ಮಾಡಬೇಕಾಗುತ್ತದೆ.

ಡಾ|| ಆರ್. ನಾಗನಗೌಡ.—ಈಗ ಇರುವುದರಲ್ಲಿ ಸಿವಿಲ್ ವರ್ಕ್ಸ್ ಮಾಡುವುದಕ್ಕೆ, ಎಲೆಕ್ಟ್ರಿಕಲ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿಗೆ ಸ್ಪೆಷಲ್ ಆಗಿ ಏನಾದರೂ ಕೆಲಸ ಇದೆಯೇ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಅದು ಎಲೆಕ್ಟ್ರಿಕಲ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನ ರಿಕ್ವೈರ್‌ಮೆಂಟ್‌ಗನುಸಾರವಾಗಿ ಕೆಲಸ ನಡೆಯಬೇಕಾಗುತ್ತದೆ. ಆದ್ದರಿಂದ ಎಲೆಕ್ಟ್ರಿಕಲ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿಗೆ ಸಿವಿಲ್ ಇಂಜಿನಿಯರಿಂಗ್ ಸೆಕ್ಷನ್ನಿನ ಅಗತ್ಯವಿದೆ. ಆ ರೀತಿ ಇರುವುದು ಸೂಕ್ತ ಎಂದು ತೀರ್ಮಾನ ಮಾಡಿ ಅನೇಕ ವರ್ಷಗಳಿಂದ ಅದು ಜಾರಿಯಲ್ಲಿ ಇದೆ.

ಶ್ರೀ ಆರ್. ನಾಗನಗೌಡ.—ಪ್ರೀ ಆಡಿಟ್, ಪೋಸ್ಟ್ ಆಡಿಟ್ ಎಂದು ಹೇಳಿದಿರಿ. ಇವೆರಡನ್ನೂ ಒಂದು ಗೂಡಿಸುವುದಕ್ಕಾಗುವುದಿಲ್ಲವೇ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಆಗುವುದಿಲ್ಲ ಎಂದು ಮಾಹಿತಿ ಇರುವ ತಜ್ಞರು ಹೇಳುತ್ತಾರೆ.

ಶ್ರೀ ಬಿ. ವಿ. ನಾರಾಯಣರಾಜ್.—ಅವರು ಮಂತ್ರಿಗಳಾಗಿದ್ದಾಗ ಹೇಗೆ ಮಾಡುತ್ತಿದ್ದರು ಎಂಬುದನ್ನು ಕೇಳಿ, ಸ್ವಾಮಿ.

Mr. SPEAKER.—The Hon'ble Member may put the question, but he need not answer for other members.

ಶ್ರೀ ಎಂ. ಪಳನಿಯಪ್ಪನ್.—ಎಲೆಕ್ಟ್ರಿಕಲ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನ ಸಿವಿಲ್ ಕೆಲಸ ಮಾಡುವುದನ್ನು ನೋಡಿ ಕೊಳ್ಳುವುದಕ್ಕೆ ಪಬ್ಲಿಕ್ ವರ್ಕ್ಸ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನ ಒಂದು ಡಿವಿಜನ್ ಇದೆ ತಾನೆ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಹೌದು. ಅವರು ಎಲೆಕ್ಟ್ರಿಕಲ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನ ಆಡಳಿತಕ್ಕೊಳಪಟ್ಟ ಕೆಲಸ ಮಾಡುತ್ತಾರೆ.

Sri M. PALANIYAPPAN.—Who is the Head of the Department? Is it the Electrical Engineer or the P.W.D. Engineer?

Sri H. K. VEERANNA GOWDH.—So far as the works are concerned, the Chief Electrical Engineer is the authority.

*Asterisk indicates that the remark speech has not been revised by the member concerned.

Sri M. PALANIYAPPAN.—Who is it that gives the order for works. Is it the P.W.D. or the Electricity Department?

Mr. SPEAKER.—The matter need not be discussed in such details. We are not concerned with other issues in this question.

Amount spent towards the construction of Gundamgere Tank in Doddballapur Taluk.

Q.—84. Sri A. V. NARASIMHA REDDY (Bangalore South).—

Will the Government be pleased to state:—

(a) the total amount spent up to 1st November 1956 towards construction of Gundamgere tank in Sasalu Hobli, Doddballapur Taluk;

(b) whether it is a fact that there have been a good deal of complaints in executing that work, in respect of giving works to atchkatdars and other contracts by the Executive Engineer and his subordinate staff;

(c) whether the Efficiency Audit Department has made any investigation in that behalf;

(d) if so, what are their findings;

(e) the total excess expenditure incurred by them by this difference in rates given by the Executive Engineer?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works).—

(a) Rs. 5,50,713.

(b) There have been complaints.

(c) Yes.

(d) The investigation has not yet been completed and a final report is awaited.

(e) This is under investigation.

12-30 P.M.

Sri A. V. NARASIMHA REDDY.—What is the total cost of construction of this tank?

***Sri H. K. VEERANNA GOWDH.**—That is given here.

Sri A. V. NARASIMHA REDDY.—The amount spent is given. I want to know the estimated cost of construction of this tank.

Sri H. K. VEERANNA GOWDH.—It is more or less Rs. 5.64 lakhs.

Sri A. V. NARASIMHA REDDY.—Is the work going on even now?

Sri H. K. VEERANNA GOWDH.—Now it is stopped.

Sri A. V. NARASIMHA REDDY.—When were the complaints of treating different contractors with different rates, received by the Government?

Sri H. K. VEERANNA GOWDH.—The data is not found here. If the member wants I will supply the information.

Sri A. V. NARASIMHA REDDY.—When was the investigation taken up by the Efficiency Audit Department?

Sri H. K. VEERANNA GOWDH.—Once again I have to state that the information is not available here.

Sri A. V. NARASIMHA REDDY.—For how long the report of the Efficiency Audit Department is pending with the Government?

Sri H. K. VEERANNA GOWDH.—It is not pending. It is just received.

Sri A. V. NARASIMHA REDDY.—In answer to clause (d) of the question it is stated that the investigation has not yet been completed and a final report is awaited. May I know whether they have received the report subsequently?

Sri H. K. VEERANNA GOWDH.—Subsequently, it has been received.

Sri A. V. NARASIMHA REDDY.—What is the actual excess expenditure that the Government have been made to incur on account of differential treatment, i.e., giving higher rates to contractors by the Executive Engineer?

Sri H. K. VEERANNA GOWDH.—It is under examination. I can only state that abnormal rates were being paid to the contractors.

Sri A. V. NARASIMHA REDDY.—When the matter is under investigation and when they are aware that abnormal rates were given, is it not necessary to suspend that officer and order a thorough investigation of the whole matter?

Sri H. K. VEERANNA GOWDH.—Investigation is going on and the officer is not in charge of the work.

Sri A. V. NARASIMHA REDDY.—I am aware that it is that Officer who is in charge of that work even now.